

## RAW SEQUENCE LISTING

The Biotechnology Systems Branch of the Scientific and Technical  
Information Center (STIC) no errors detected.

Application Serial Number: 10/764,957  
Source: 1FWO  
Date Processed by STIC: 10/18/04

# ***ENTERED***



IFWO

## RAW SEQUENCE LISTING

DATE: 10/18/2004

PATENT APPLICATION: US/10/764,957

TIME: 13:57:31

Input Set : A:\02-742-O\_400.144 SeqList.txt

Output Set: N:\CRF4\10182004\J764957.raw

3 <110> APPLICANT: Sirna Therapeutics, Inc.  
4 McSwiggen, James  
5 Pavco, Pamela  
6 Beigelman, Leo  
8 <120> TITLE OF INVENTION: RNA Interference Mediated Inhibition of Vascular Endothelial  
9 Growth Factor and Vascular Endothelial Growth Factor Receptor  
10 Gene Expression Using Short Interfering Nucleic Acid (siNA)  
12 <130> FILE REFERENCE: 400/144 (MBHB02-742-O)  
14 <140> CURRENT APPLICATION NUMBER: US 10/764,957  
15 <141> CURRENT FILING DATE: 2004-01-26  
17 <150> PRIOR APPLICATION NUMBER: US 10/670,011  
18 <151> PRIOR FILING DATE: 2003-09-23  
20 <150> PRIOR APPLICATION NUMBER: US 10/665,255  
21 <151> PRIOR FILING DATE: 2003-09-16  
23 <150> PRIOR APPLICATION NUMBER: PCT/US03/05022  
24 <151> PRIOR FILING DATE: 2003-02-20  
26 <150> PRIOR APPLICATION NUMBER: US60/358,580  
27 <151> PRIOR FILING DATE: 2002-02-20  
29 <150> PRIOR APPLICATION NUMBER: US60/363,124  
30 <151> PRIOR FILING DATE: 2002-03-11  
32 <150> PRIOR APPLICATION NUMBER: US60/386,782  
33 <151> PRIOR FILING DATE: 2002-06-06  
35 <150> PRIOR APPLICATION NUMBER: US60/393,796  
36 <151> PRIOR FILING DATE: 2002-07-03  
38 <150> PRIOR APPLICATION NUMBER: US60/399,348  
39 <151> PRIOR FILING DATE: 2002-07-29  
41 <150> PRIOR APPLICATION NUMBER: US60/406,784  
42 <151> PRIOR FILING DATE: 2002-08-29  
44 <150> PRIOR APPLICATION NUMBER: US60/408,378  
45 <151> PRIOR FILING DATE: 2002-09-05  
47 <150> PRIOR APPLICATION NUMBER: US60/409,293  
48 <151> PRIOR FILING DATE: 2002-09-09  
50 <150> PRIOR APPLICATION NUMBER: US60/440,129  
51 <151> PRIOR FILING DATE: 2003-01-15  
53 <150> PRIOR APPLICATION NUMBER: US10/306,747  
54 <151> PRIOR FILING DATE: 2002-11-27  
56 <150> PRIOR APPLICATION NUMBER: US60/344,461  
57 <151> PRIOR FILING DATE: 2001-11-30  
59 <150> PRIOR APPLICATION NUMBER: US10/287,949  
60 <151> PRIOR FILING DATE: 2002-11-04  
62 <150> PRIOR APPLICATION NUMBER: PCT/US02/17674  
63 <151> PRIOR FILING DATE: 2002-05-29  
65 <160> NUMBER OF SEQ ID NOS: 473

*pp 10-11*

## RAW SEQUENCE LISTING

DATE: 10/18/2004

PATENT APPLICATION: US/10/764,957

TIME: 13:57:31

Input Set : A:\02-742-O\_400.144 SeqList.txt

Output Set: N:\CRF4\10182004\J764957.raw

```

67 <170> SOFTWARE: PatentIn version 3.3
69 <210> SEQ ID NO: 1
70 <211> LENGTH: 19
71 <212> TYPE: RNA
72 <213> ORGANISM: Artificial Sequence
74 <220> FEATURE:
75 <223> OTHER INFORMATION: Description of Artificial Sequence: Target Sequence/siNA
sense region
77 <400> SEQUENCE: 1
78 gcgaggcuu ggggcagcc                                19
81 <210> SEQ ID NO: 2
82 <211> LENGTH: 19
83 <212> TYPE: RNA
84 <213> ORGANISM: Artificial Sequence
86 <220> FEATURE:
87 <223> OTHER INFORMATION: Description of Artificial Sequence: Target Sequence/siNA
sense region
89 <400> SEQUENCE: 2
90 cgguagcuc ggaggucgu                                19
93 <210> SEQ ID NO: 3
94 <211> LENGTH: 19
95 <212> TYPE: RNA
96 <213> ORGANISM: Artificial Sequence
98 <220> FEATURE:
99 <223> OTHER INFORMATION: Description of Artificial Sequence: Target Sequence/siNA
sense region
101 <400> SEQUENCE: 3
102 uggcguggg ggcuaagcac                                19
105 <210> SEQ ID NO: 4
106 <211> LENGTH: 19
107 <212> TYPE: RNA
108 <213> ORGANISM: Artificial Sequence
110 <220> FEATURE:
111 <223> OTHER INFORMATION: Description of Artificial Sequence: Target Sequence/siNA
sense region
113 <400> SEQUENCE: 4
114 ccagcgucu gucgggagg                                19
117 <210> SEQ ID NO: 5
118 <211> LENGTH: 19
119 <212> TYPE: RNA
120 <213> ORGANISM: Artificial Sequence
122 <220> FEATURE:
123 <223> OTHER INFORMATION: Description of Artificial Sequence: Target Sequence/siNA
sense region
125 <400> SEQUENCE: 5
126 gcgcagcggg uagguggac                                19
129 <210> SEQ ID NO: 6
130 <211> LENGTH: 19
131 <212> TYPE: RNA
132 <213> ORGANISM: Artificial Sequence
134 <220> FEATURE:
135 <223> OTHER INFORMATION: Description of Artificial Sequence: Target Sequence/siNA
sense region

```

137 <400> SEQUENCE: 6  
138 ccggucagcg gacucaccg

19

## RAW SEQUENCE LISTING

DATE: 10/18/2004

PATENT APPLICATION: US/10/764,957

TIME: 13:57:31

Input Set : A:\02-742-O\_400.144 SeqList.txt

Output Set: N:\CRF4\10182004\J764957.raw

```

141 <210> SEQ ID NO: 7
142 <211> LENGTH: 19
143 <212> TYPE: RNA
144 <213> ORGANISM: Artificial Sequence
146 <220> FEATURE:
147 <223> OTHER INFORMATION: Description of Artificial Sequence: Target Sequence/siNA
sense region
149 <400> SEQUENCE: 7
150 ggccagggcg cucggugcu 19
153 <210> SEQ ID NO: 8
154 <211> LENGTH: 19
155 <212> TYPE: RNA
156 <213> ORGANISM: Artificial Sequence
158 <220> FEATURE:
159 <223> OTHER INFORMATION: Description of Artificial Sequence: Target Sequence/siNA
sense region
161 <400> SEQUENCE: 8
162 uggaauuuga uauucauug 19
165 <210> SEQ ID NO: 9
166 <211> LENGTH: 19
167 <212> TYPE: RNA
168 <213> ORGANISM: Artificial Sequence
170 <220> FEATURE:
171 <223> OTHER INFORMATION: Description of Artificial Sequence: Target Sequence/siNA
sense region
173 <400> SEQUENCE: 9
174 gaucggguu uauucccuc 19
177 <210> SEQ ID NO: 10
178 <211> LENGTH: 19
179 <212> TYPE: RNA
180 <213> ORGANISM: Artificial Sequence
182 <220> FEATURE:
183 <223> OTHER INFORMATION: Description of Artificial Sequence: Target Sequence/siNA
sense region
185 <400> SEQUENCE: 10
186 cuucuuuuuu cuuaaacau 19
189 <210> SEQ ID NO: 11
190 <211> LENGTH: 19
191 <212> TYPE: RNA
192 <213> ORGANISM: Artificial Sequence
194 <220> FEATURE:
195 <223> OTHER INFORMATION: Description of Artificial Sequence: Target Sequence/siNA
sense region
197 <400> SEQUENCE: 11
198 uuuuuuuuuu aaacuguau 19
201 <210> SEQ ID NO: 12
202 <211> LENGTH: 19
203 <212> TYPE: RNA
204 <213> ORGANISM: Artificial Sequence
206 <220> FEATURE:
207 <223> OTHER INFORMATION: Description of Artificial Sequence: Target Sequence/siNA
sense region
209 <400> SEQUENCE: 12

```

210 uuguuucucg uuuuaauuu  
213 <210> SEQ ID NO: 13

19

## RAW SEQUENCE LISTING

DATE: 10/18/2004

PATENT APPLICATION: US/10/764,957

TIME: 13:57:31

Input Set : A:\02-742-O\_400.144 SeqList.txt

Output Set: N:\CRF4\10182004\J764957.raw

```

214 <211> LENGTH: 19
215 <212> TYPE: RNA
216 <213> ORGANISM: Artificial Sequence
218 <220> FEATURE:
219 <223> OTHER INFORMATION: Description of Artificial Sequence: Target Sequence/siNA
sense region
221 <400> SEQUENCE: 13
222 uauuuuugcu ugccauucc                                     19
225 <210> SEQ ID NO: 14
226 <211> LENGTH: 19
227 <212> TYPE: RNA
228 <213> ORGANISM: Artificial Sequence
230 <220> FEATURE:
231 <223> OTHER INFORMATION: Description of Artificial Sequence: Target Sequence/siNA
sense region
233 <400> SEQUENCE: 14
234 cccacuugaa ucgggccga                                     19
237 <210> SEQ ID NO: 15
238 <211> LENGTH: 19
239 <212> TYPE: RNA
240 <213> ORGANISM: Artificial Sequence
242 <220> FEATURE:
243 <223> OTHER INFORMATION: Description of Artificial Sequence: Target Sequence/siNA
sense region
245 <400> SEQUENCE: 15
246 acggcuuggg gagauugcu                                     19
249 <210> SEQ ID NO: 16
250 <211> LENGTH: 19
251 <212> TYPE: RNA
252 <213> ORGANISM: Artificial Sequence
254 <220> FEATURE:
255 <223> OTHER INFORMATION: Description of Artificial Sequence: Target Sequence/siNA
sense region
257 <400> SEQUENCE: 16
258 ucuacuuccc caaaucacu                                     19
261 <210> SEQ ID NO: 17
262 <211> LENGTH: 19
263 <212> TYPE: RNA
264 <213> ORGANISM: Artificial Sequence
266 <220> FEATURE:
267 <223> OTHER INFORMATION: Description of Artificial Sequence: Target Sequence/siNA
sense region
269 <400> SEQUENCE: 17
270 uguggauuuu ggaaaccag                                     19
273 <210> SEQ ID NO: 18
274 <211> LENGTH: 19
275 <212> TYPE: RNA
276 <213> ORGANISM: Artificial Sequence
278 <220> FEATURE:
279 <223> OTHER INFORMATION: Description of Artificial Sequence: Target Sequence/siNA
sense region
281 <400> SEQUENCE: 18
282 gcagaaagag gaaagaggu                                     19

```

285 <210> SEQ ID NO: 19  
286 <211> LENGTH: 19



## RAW SEQUENCE LISTING

DATE: 10/18/2004

PATENT APPLICATION: US/10/764,957

TIME: 13:57:31

Input Set : A:\02-742-O\_400.144 SeqList.txt

Output Set: N:\CRF4\10182004\J764957.raw

```

287 <212> TYPE: RNA
288 <213> ORGANISM: Artificial Sequence
290 <220> FEATURE:
291 <223> OTHER INFORMATION: Description of Artificial Sequence: Target Sequence/siNA
sense region
293 <400> SEQUENCE: 19
294 uagcaagagc uccagagag                                     19
297 <210> SEQ ID NO: 20
298 <211> LENGTH: 19
299 <212> TYPE: RNA
300 <213> ORGANISM: Artificial Sequence
302 <220> FEATURE:
303 <223> OTHER INFORMATION: Description of Artificial Sequence: Target Sequence/siNA
sense region
305 <400> SEQUENCE: 20
306 gaagucgagg aagagagag                                     19
309 <210> SEQ ID NO: 21
310 <211> LENGTH: 19
311 <212> TYPE: RNA
312 <213> ORGANISM: Artificial Sequence
314 <220> FEATURE:
315 <223> OTHER INFORMATION: Description of Artificial Sequence: Target Sequence/siNA
sense region
317 <400> SEQUENCE: 21
318 gacggggguca gagagagcg                                     19
321 <210> SEQ ID NO: 22
322 <211> LENGTH: 19
323 <212> TYPE: RNA
324 <213> ORGANISM: Artificial Sequence
326 <220> FEATURE:
327 <223> OTHER INFORMATION: Description of Artificial Sequence: Target Sequence/siNA
sense region
329 <400> SEQUENCE: 22
330 gcgcgggcgu gcgagcagc                                     19
333 <210> SEQ ID NO: 23
334 <211> LENGTH: 19
335 <212> TYPE: RNA
336 <213> ORGANISM: Artificial Sequence
338 <220> FEATURE:
339 <223> OTHER INFORMATION: Description of Artificial Sequence: Target Sequence/siNA
sense region
341 <400> SEQUENCE: 23
342 cgaaagcgac agggggcaaa                                     19
345 <210> SEQ ID NO: 24
346 <211> LENGTH: 19
347 <212> TYPE: RNA
348 <213> ORGANISM: Artificial Sequence
350 <220> FEATURE:
351 <223> OTHER INFORMATION: Description of Artificial Sequence: Target Sequence/siNA
sense region
353 <400> SEQUENCE: 24
354 agugagugac cugcuuuug                                     19
357 <210> SEQ ID NO: 25

```

358 <211> LENGTH: 19  
359 <212> TYPE: RNA

RAW SEQUENCE LISTING ERROR SUMMARY      DATE: 10/18/2004  
PATENT APPLICATION:    US/10/764,957      TIME: 13:57:32

Input Set : A:\02-742-O\_400.144 SeqList.txt  
Output Set: N:\CRF4\10182004\J764957.raw

**Please Note:**

Use of n and/or Xaa have been detected in the Sequence Listing. Please review the Sequence Listing to ensure that a corresponding explanation is presented in the <220> to <223> fields of each sequence which presents at least one n or Xaa.

Seq#:233; N Pos. 20,21  
Seq#:234; N Pos. 20,21  
Seq#:235; N Pos. 20,21  
Seq#:236; N Pos. 20,21  
Seq#:237; N Pos. 20,21  
Seq#:238; N Pos. 20,21  
Seq#:239; N Pos. 20,21  
Seq#:240; N Pos. 20,21  
Seq#:241; N Pos. 20,21  
Seq#:242; N Pos. 20,21  
Seq#:243; N Pos. 20,21  
Seq#:244; N Pos. 20,21  
Seq#:245; N Pos. 20,21  
Seq#:246; N Pos. 20,21  
Seq#:247; N Pos. 20,21  
Seq#:248; N Pos. 20,21  
Seq#:249; N Pos. 20,21  
Seq#:250; N Pos. 20,21  
Seq#:251; N Pos. 20,21  
Seq#:252; N Pos. 20,21  
Seq#:253; N Pos. 20,21  
Seq#:254; N Pos. 20,21  
Seq#:255; N Pos. 20,21  
Seq#:256; N Pos. 20,21  
Seq#:257; N Pos. 20,21  
Seq#:258; N Pos. 20,21  
Seq#:259; N Pos. 20,21  
Seq#:260; N Pos. 20,21  
Seq#:261; N Pos. 20,21  
Seq#:262; N Pos. 20,21  
Seq#:263; N Pos. 20,21  
Seq#:264; N Pos. 20,21  
Seq#:265; N Pos. 20,21  
Seq#:266; N Pos. 20,21  
Seq#:267; N Pos. 20,21  
Seq#:268; N Pos. 20,21  
Seq#:269; N Pos. 20,21  
Seq#:270; N Pos. 20,21  
Seq#:271; N Pos. 20,21  
Seq#:272; N Pos. 20,21  
Seq#:273; N Pos. 20,21  
Seq#:274; N Pos. 20,21  
Seq#:275; N Pos. 20,21  
Seq#:276; N Pos. 20,21

## RAW SEQUENCE LISTING ERROR SUMMARY

DATE: 10/18/2004

PATENT APPLICATION: US/10/764,957

TIME: 13:57:32

Input Set : A:\02-742-O\_400.144 SeqList.txt

Output Set: N:\CRF4\10182004\J764957.raw

Seq#:277; N Pos. 20,21  
Seq#:278; N Pos. 20,21  
Seq#:279; N Pos. 20,21  
Seq#:280; N Pos. 20,21  
Seq#:281; N Pos. 20,21  
Seq#:282; N Pos. 20,21  
Seq#:283; N Pos. 20,21

**Invalid Line Length:**

The rules require that a line not exceed 72 characters in length. This includes spaces.

Seq#:385; Line(s) 7925  
Seq#:386; Line(s) 7937  
Seq#:387; Line(s) 7949  
Seq#:388; Line(s) 7961  
Seq#:389; Line(s) 7973  
Seq#:390; Line(s) 7985  
Seq#:391; Line(s) 7997  
Seq#:392; Line(s) 8009  
Seq#:393; Line(s) 8021  
Seq#:394; Line(s) 8033  
Seq#:395; Line(s) 8045  
Seq#:396; Line(s) 8057  
Seq#:397; Line(s) 8069  
Seq#:398; Line(s) 8081  
Seq#:399; Line(s) 8093  
Seq#:400; Line(s) 8105  
Seq#:401; Line(s) 8117  
Seq#:402; Line(s) 8129  
Seq#:403; Line(s) 8141  
Seq#:404; Line(s) 8153  
Seq#:405; Line(s) 8165  
Seq#:406; Line(s) 8177  
Seq#:407; Line(s) 8189  
Seq#:408; Line(s) 8201  
Seq#:409; Line(s) 8213  
Seq#:458; Line(s) 10292  
Seq#:459; Line(s) 10320  
Seq#:460; Line(s) 10353  
Seq#:461; Line(s) 10385  
Seq#:462; Line(s) 10417  
Seq#:463; Line(s) 10450  
Seq#:464; Line(s) 10484

## VERIFICATION SUMMARY

DATE: 10/18/2004

PATENT APPLICATION: US/10/764,957

TIME: 13:57:32

Input Set : A:\02-742-O\_400.144 SeqList.txt

Output Set: N:\CRF4\10182004\J764957.raw

L:2868 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:233 after pos.:0  
L:2886 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:234 after pos.:0  
L:2904 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:235 after pos.:0  
L:2922 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:236 after pos.:0  
L:2940 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:237 after pos.:0  
L:2958 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:238 after pos.:0  
L:2976 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:239 after pos.:0  
L:2994 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:240 after pos.:0  
L:3032 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:241 after pos.:0  
L:3080 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:242 after pos.:0  
L:3128 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:243 after pos.:0  
L:3186 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:244 after pos.:0  
L:3219 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:245 after pos.:0  
L:3262 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:246 after pos.:0  
L:3310 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:247 after pos.:0  
L:3363 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:248 after pos.:0  
L:3411 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:249 after pos.:0  
L:3479 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:250 after pos.:0  
L:3552 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:251 after pos.:0  
L:3640 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:252 after pos.:0  
L:3683 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:253 after pos.:0  
L:3746 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:254 after pos.:0  
L:3814 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:255 after pos.:0  
L:3892 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:256 after pos.:0  
L:3935 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:257 after pos.:0  
L:3998 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:258 after pos.:0  
L:4066 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:259 after pos.:0  
L:4149 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:260 after pos.:0  
L:4192 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:261 after pos.:0  
L:4255 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:262 after pos.:0  
L:4323 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:263 after pos.:0  
L:4411 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:264 after pos.:0  
L:4439 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:265 after pos.:0  
L:4467 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:266 after pos.:0  
L:4495 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:267 after pos.:0  
L:4523 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:268 after pos.:0  
L:4546 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:269 after pos.:0  
L:4569 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:270 after pos.:0  
L:4592 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:271 after pos.:0  
L:4615 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:272 after pos.:0  
L:4633 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:273 after pos.:0  
L:4651 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:274 after pos.:0  
L:4669 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:275 after pos.:0  
L:4687 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:276 after pos.:0  
L:4705 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:277 after pos.:0  
L:4723 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:278 after pos.:0  
L:4741 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:279 after pos.:0  
L:4759 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:280 after pos.:0

**VERIFICATION SUMMARY**

PATENT APPLICATION: US/10/764,957

DATE: 10/18/2004

TIME: 13:57:32

Input Set : A:\02-742-O\_400.144 SeqList.txt

Output Set: N:\CRF4\10182004\J764957.raw

L:4777 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:281 after pos.:0

L:4795 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:282 after pos.:0